

Volceram Basalt Flooring

Decorative floor & pavement tiles made from natural neo-volcanic rock



GREENBANK GROUP UK INCORPORATING

Terotech | Materials Handling | GAIM | Greenbank (Beijing) Trading Co.

FORGED from the heart of volcanoes, our stunning range of Volceram tiles combines a modern, contemporary look with unrivalled beauty and durability.

Cast from one-million-year-old neo-volcanic rock, Volceram basalt tiles offer a versatile solution for areas where hard-wearing flooring is as essential as an eye-catching design.

Volceram tiles are proving popular in the most upmarket of continental bars and restaurants thanks to their remarkable individuality and unique properties.

Decorative, hard-wearing and easy to clean, these beautifully textured tiles have also proved the ideal material for many other commercial spaces with heavy footfall, including shops, pubs, restaurants, office reception areas, micro-breweries, and public buildings.

Four times harder than stone, and ideal too for innumerable domestic applications – kitchens, patio, halls, and lounges – the beauty of basalt is the beauty lasts.

A million years in the making, Volceram basalt flooring is as durable as the Earth itself, molten cast to achieve a uniform, crystalline structure to suit a vast variety of uses.

One of the toughest natural ceramic materials known to man, they offer unrivalled abrasion and chemical resistance. With non-porous surfaces that are hygienic and easy to clean, Volceram tiles deliver a dramatic flooring solution for those seeking to partner practicality with a sleek new look.



Vivacious, classical, timeless, and visually mesmerising, Volceram basalt flooring offers a daily reminder that what's beneath our feet need never be second best.




Volceram Basalt Flooring

- More resilient than traditional or ceramic stone flooring
- Stunning and uniquely individual appearance
- Perfect for heavy footfall
- Easy to clean
- Suitable for commercial and domestic applications
- Resistant to wear and tear




Volceram Flooring Tiles




Decorative Tiles




Charlotte



Florentine



Mava 1




Mava 2




Plain Hex



Thales: Alpha



Thales: Beta



Thales: Gamma





Thales: Delta




Cube

Anti-Slip Tiles



Edges & Skirts



General Specifications:

Density: 3.00 gr/cm³

Hardness: 8-9 Mohs Scale

Abrasion Resistance: 2,940 (normal paving stone 862)

Chemical Resistance: Excellent to both acid and alkali

Head office:

Hartshorne Road, Woodville
Derbyshire DE11 7GT
United Kingdom

Tel: +44 (0)845 0707 097
Fax: +44 (0)845 0707 098
Email: info@greenbankgroup.com